



CEN-A


TIS 1379-2551



Top View




Tank							Lid				Approx. Total Weight (kg)
Part Number	Capacity (Litre)	Approx. Dimension (mm)					Part Number	Approx. Dimension (mm)			
		B	C	H	h	Thk.		K	O	Thk.	
CEN1K0A-M141	1,000	395	1,030	1,575	1,365	5.0	CT0395-M1X8	395	90	3.0	30.70
CEN1K0A-M144						5.5					33.70
CEN1K0A-M156						7.5					45.70
CEN1K0A-M168						9.5					57.70
CEN1K5A-M155	1,500	395	1,300	1,530	1,280	5.5	CT0395-M1X8	395	90	3.0	30.70
CEN1K5A-M159						6.0					33.70
CEN1K5A-M167						7.0					45.70
CEN1K5A-M180						10.0					57.70
CEN2K0A-M168	2,000	395	1,300	1,900	1,650	6.0	CT0395-M1X8	395	90	3.0	57.70
CEN2K0A-M178						7.0					67.70
CEN2K0A-M188						8.0					77.70
CEN2K0A-M107						10.0					96.70
CEN2K5A-M174	2,500	395	1,300	2,150	1,900	6.0	CT0395-M1X8	395	90	3.0	63.70
CEN2K5A-M184						7.0					73.70
CEN2K5A-M195						8.0					84.70
CEN2K5A-M211						10.0					100.70
CEN3K0A-M180	3,000	395	1,300	2,650	2,400	6.0	CT0395-M1X8	395	90	3.0	79.00
CEN3K0A-M103						7.0					92.00
CEN3K0A-M216						8.0					105.00
CEN3K0A-M242						10.0					131.00
CEN4K0A-M231	4,000	500	1,600	2,450	2,150	8.0	CT0500-M2X9	500	150	3.0	121.70
CEN4K0A-M261						10.0					151.70
CEN4K0A-M271						11.0					161.70
CEN4K0A-M201						13.0					191.70
CEN4K0A-M331						15.0					221.70
CEN6K0A-M281	6,000	500	1,850	2,830	2,410	8.0	CT0500-M2X9	500	150	3.0	171.70
CEN6K0A-M321						11.0					211.70
CEN6K0A-M361						13.0					251.70
CEN6K0A-M301						15.0					291.70
CEN10K0A-M411	10,000	500	2,100	3,680	3,250	11.0	CT0500-M2X9	500	150	3.0	301.70
CEN10K0A-M461						13.0					351.70
CEN10K0A-M511						15.0					401.70
CEN10K0A-M571						17.0					461.70
CEN10K0A-M501						18.0					491.70
CEN15K0A-M501	15,000	500	2,500	3,680	3,300	14.0	CT0500-M2X9	500	150	3.0	491.70
CEN15K0A-M671						16.0					561.70
CEN15K0A-M741						18.0					631.70
CEN15K0A-M811						20.0					701.70


CEN-B



TIS 1379-2551






Top View



Part Number	Capacity (Litre)	Approx. Dimension (mm)					Part Number	Approx. Dimension (mm)			Approx. Total Weight (kg)
		B	C	H	h	Thk.		K	O	Thk.	
CEN050B-M114	50	150	380	550	480	3.5	CT0150B-HX29	150	40	2.0	3.18
CEN050B-M4X6						4.0					3.68
CEN050B-M115						5.0					4.18
CEN050B-M116						6.0					5.18
CEN100B-M5X6	100	150	500	660	575	3.5	CT0150B-HX29	150	40	2.0	4.68
CEN100B-M116						4.0					5.18
CEN100B-M118						5.5					7.18
CEN100B-M0X6						7.5					9.68
CEN200B-M118	200	150	650	750	670	3.5	CT0150B-HX29	150	40	2.0	7.18
CEN200B-M119						4.0					8.18
CEN200B-M123						6.0					12.18
CEN200B-M126						7.5					15.18
CEN300B-M122	300	150	650	1,050	970	4.0	CT0150B-HX29	150	40	2.0	11.18
CEN300B-M124						5.0					13.18
CEN300B-M126						5.5					15.18
CEN300B-M131						7.5					20.18
CEN500B-M127	500	395	870	1,040	915	4.5	CT0395-M1X8	395	90	3.0	16.70
CEN500B-M129						5.0					18.70
CEN500B-M131						5.5					20.70
CEN500B-M138						7.5					27.70
CEN1K0B-M141	1,000	395	1,030	1,540	1,390	5.0	CT0395-M1X8	395	150	3.0	30.70
CEN1K0B-M144						5.5					33.70
CEN1K0B-M156						7.5					45.70
CEN1K0B-M168						9.5					57.70
CEN1K0B-M171						10.0					60.70
CEN1K5B-M154	1,500	395	1,300	1,430	1,280	5.5	CT0395-M1X8	395	150	3.0	43.70
CEN1K5B-M158						6.0					47.70
CEN1K5B-M166						7.0					55.70
CEN1K5B-M180						10.0					79.70
CEN2K0B-M167	2,000	395	1,300	1,800	1,650	6.0	CT0395-M1X8	395	150	3.0	56.70
CEN2K0B-M177						7.0					66.70
CEN2K0B-M186						8.0					75.70
CEN2K0B-M105						10.0					94.70
CEN2K5B-M173	2,500	395	1,300	2,050	1,900	6.0	CT0395-M1X8	395	150	3.0	62.00
CEN2K5B-M184						7.0					73.00
CEN2K5B-M194						8.0					83.00
CEN2K5B-M211						10.0					100.00
CEN3K0B-M180	3,000	395	1,300	2,550	2,400	6.0	CT0395-M1X8	395	150	3.0	69.00
CEN3K0B-M103						7.0					92.00
CEN3K0B-M216						8.0					105.00
CEN3K0B-M242						10.0					131.00





TIS 1379-2551

CEN100C
CON100C
CEN650E


Tank							Lid		Approx. Total Weight (kg)
Part Number	Capacity (Litre)	Approx. Dimension (mm)					Part Number	Thk.	
		B	C	H	h	Thk.			
CEN100C-M6X6	100	150	380	1,045	975	3.5	CT0150B-HX29	2.0	5.70
CEN100C-M117						4.0			6.20
CEN100C-M119						5.5			8.20
CEN100C-M122						7.5			10.90
CON100C-M6X3	100	150	380	995	965	3.5	CN0350B-M1X6	2.0	5.70
CON100C-M6X9						4.0			6.20
CON100C-M8X9						5.5			8.20
CON100C-M122						7.0			10.90
CEN650E-M132	650	395	700	1,980	1,800	4.5	CT0395a-M1X8	3.0	21.70




TIS 1379-2551

CEN1K0C
CEN2K0C


Tank							Lid		Approx. Total Weight (kg)
Part Number	Capacity (Litre)	Approx. Dimension (mm)					Part Number	Thk.	
		B	C	H	h	Thk.			
CEN1K0C-M141	1,000	395	800	2,180	2,000	5.0	CT0150B-HX29	3.0	30.70
CEN2K0C-M169	2,000	395	1,160	2,210	1,915	6	CT0395A-M1X8	3.0	58.00
CEN2K0C-M181						7			70.00
CEN2K0C-M191						8			80.00
CEN2K0C-M107						10			96.00

CON-A


TIS 1379-2551




Tank							Lid				Approx. Total Weight (kg)
Part Number	Capacity (Litre)	Approx. Dimension (mm)					Part Number	Approx. Dimension (mm)			
		B	C	H	h	Thk.		K	O	Thk.	
CON050A-M114	50	340	380	520	490	4.0	CN0350B-M1X6	350	45	3.0	3.50
CON050A-M4X6						4.5					4.00
CON050A-M115						5.0					4.50
CON050A-M5X6						6.0					5.00
CON100A-M5X6	100	440	500	590	565	4.0	CN0435B-M1X8	435	45	3.0	5.20
CON100A-M116						4.5					5.70
CON100A-M7X6						5.5					7.20
CON100A-M119						7.0					8.70
CON200A-M118	200	595	650	680	660	4.0	CN0590B-M2X5	590	50	3.0	8.40
CON200A-M8X6						4.5					8.90
CON200A-M121						5.5					11.40
CON200A-M123						7.0					13.40
CON300A-M122	300	595	650	1,005	990	4.0	CN0590B-M2X5	590	50	3.0	12.40
CON300A-M123						4.5					13.40
CON300A-M126						5.5					16.40
CON300A-M120						7.0					20.40
CON500A-M127	500	780	870	920	875	5.0	CN0760B-M2X9	760	75	2.5	17.80
CON500A-M120						6.0					20.80
CON500A-M137						8.0					27.80
CON500A-M143						10.0					33.80
CON1K0A-M143	1,000	960	1,030	1,415	1,370	6.0	CN0940B-M4X8	940	95	3.0	35.70
CON1K0A-M148						7.0					40.70
CON1K0A-M154						8.0					46.70
CON1K0A-M164						10.0					56.70
CON1K5A-M154	1,500	1,230	1,300	1,300	1,260	6.0	CN1220B-M6X9	1,220	90	3.5	46.80
CON1K5A-M158						7.0					52.80
CON1K5A-M166						8.0					59.80
CON1K5A-M180						10.0					73.80
CON2K0A-M161	2,000	1,220	1,300	1,700	1,660	6.0	CN1220B-M6X9	1,220	90	3.5	55.80
CON2K0A-M160						7.0					64.80
CON2K0A-M178						8.0					72.80
CON2K0A-M195						10.0					89.80
CON2K5A-M167	2,500	1,200	1,300	1,940	1,900	6.0	CN1220B-M6X9	1,220	90	3.5	61.80
CON2K5A-M177						7.0					71.80
CON2K5A-M186						8.0					80.80
CON2K5A-M105						10.0					99.80
CON2K0A-M182	3,000	1,200	1,300	2,440	2,400	6.0	CN1220B-M6X9	1,220	90	3.5	76.80
CON2K0A-M193						7.0					87.80
CON2K0A-M205						8.0					99.80
CON2K0A-M228						10.0					122.80
CON4K0A-M221	4,000	1,500	1,600	2,210	2,160	8.0	CN1520E-M122	1,520	310	4.5	121.00
CON4K0A-M241						10.0					141.00
CON4K0A-M261						11.0					161.00
CON4K0A-M281						13.0					181.00
CON4K0A-M311						15.0					211.00
CON6K0A-M261	6,000	1,750	1,850	2,460	2,400	9.0	CN1750E-M126	1,750	345	4.5	165.00
CON6K0A-M291						11.0					195.00
CON6K0A-M331						13.0					135.00
CON6K0A-M361						15.0					165.00
CON10K0A-M371	10,000	2,000	2,100	3,240	3,320	11.0	CN1520E-M122	1,520	310	4.5	121.00
CON10K0A-M421						13.0					141.00
CON10K0A-M471						15.0					161.00
CON10K0A-M521						17.0					181.00
CON10K0A-M541						18.0					211.00

Conical Bottom-Shaped Tank

CENA-E



TIS 1379-2551



Tank							Lid				Approx.
Part Number	Capacity (Litre)	Approx. Dimension (mm)					Part Number	Approx. Dimension (mm)			Total Weight (kg)
		B	C	H	h	Thk.		K	O	Thk.	
CENA1K0E-M146	1,000	395	1,030	1,550	1,340	5.0	CT0395A-M1X8	395	90	3.0	35.00
CENA1K0E-M140						5.5					39.00
CENA1K0E-M163						7.5					57.00
CENA1K0E-M178						9.5					67.00
CENA1K5E-M162	1,500	395	1,300	1,530	1,280	5.5	CT0395A-M1X8	395	90	3.0	51.00
CENA1K5E-M167						6.0					56.00
CENA1K5E-M176						7.0					65.00
CENA1K5E-M104						10.0					93.00
CENA2K0E-M176	2,000	395	1,300	1,930	1,680	6.0	CT0395A-M1X8	395	90	3.0	63.00
CENA2K0E-M187						7.0					76.00
CENA2K0E-M198						8.0					87.00
CENA2K0E-M210						10.0					109.00
CENA2K5E-M181	2,500	395	1,300	2,150	1,900	6.0	CT0395A-M1X8	395	90	3.0	70.00
CENA2K5E-M193						7.0					82.00
CENA2K5E-M106						8.0					95.00
CENA2K5E-M229						10.0					118.00
CENA3K0E-M191	3,000	395	1,300	2,650	2,400	6.0	CT0395A-M1X8	395	90	3.0	80.70
CENA3K0E-M203						7.0					92.70
CENA3K0E-M216						8.0					105.70
CENA3K0E-M242						10.0					133.70
CENA4K0E-M247	4,000	500	1,600	2,450	2,150	8.0	CT0500A-M2X9	500	150	3.0	136.00
CENA4K0E-M281						10.0					170.00
CENA4K0E-M298						11.0					187.00
CENA4K0E-M332						13.0					221.00
CENA4K0E-M366						15.0					255.00
CENA6K0E-M295	6,000	500	1,850	2,830	2,410	8.0	CT0500A-M2X9	500	150	3.0	184.00
CENA6K0E-M364						11.0					253.00
CENA6K0E-M300						13.0					299.00
CENA6K0E-M456						15.0					345.00
CENA10KE-M463	10,000	500	2,100	3,680	3,250	11.0	CT0500A-M2X9	500	150	3.0	352.00
CENA10KE-M527						13.0					416.00
CENA10KE-M591						15.0					480.00
CENA10KE-M655						17.0					544.00
CENA10KE-M687						18.0					576.00

Conical Bottom-Shaped Tank

CENB-E

TIS 1379-2551



Tank							Lid				Approx. Total Weight (kg)
Part Number	Capacity (Litre)	Approx. Dimension (mm)					Part Number	Approx. Dimension (mm)			
		B	C	H	h	Thk.		K	O	Thk.	
CENB100E-M116	100	150	500	660	575	3.5	CT0150B-HX29	150	40	2.0	5.0
CENB100E-M117						4.0					6.0
CENB100E-M118						6.0					7.0
CENB100E-M9X6						7.5					8.5
CENB200E-M120	200	150	650	750	670	3.5	CT0150B-HX29	150	40	2.0	10.0
CENB200E-M122						4.0					11.0
CENB200E-M128						6.0					16.0
CENB200E-M133						7.5					22.0
CENB500E-M131	500	395	870	1,040	915	4.5	CT0395A-M1X8	395	90	3.0	20.0
CENB500E-M133						5.0					22.0
CENB500E-M136						5.5					25.0
CENB500E-M145						7.5					34.0
CENB1K0E-M146	1,000	395	1,030	1,540	1,390	5.5	CT0395A-M1X8	395	90	3.0	35.0
CENB1K0E-M140						7.5					39.0
CENB1K0E-M163						9.5					57.0
CENB1K0E-M178						10.0					67.0
CENB1K5E-M162	1,500	395	1,300	1,430	1,280	5.5	CT0395A-M1X8	395	90	3.0	51.0
CENB1K5E-M167						6.0					56.0
CENB1K5E-M176						7.0					65.0
CENB1K5E-M104						10.0					93.0
CENB2K0E-M176	2,000	395	1,300	1,800	1,650	6.0	CT0395A-M1X8	395	90	3.0	63.0
CENB2K0E-M187						7.0					76.0
CENB2K0E-M198						8.0					87.0
CENB2K0E-M210						10.0					109.0
CENB2K5E-M181	2,500	395	1,300	2,050	1,900	6.0	CT0395A-M1X8	395	90	3.0	70.0
CENB2K5E-M193						7.0					82.0
CENB2K5E-M106						8.0					95.0
CENB2K5E-M229						10.0					118.0
CENB3K0E-M191	3,000	395	1,300	2,550	2,400	6.0	CT0395A-M1X8	395	90	3.0	80.7
CENB3K0E-M203						7.0					92.7
CENB3K0E-M216						8.0					105.7
CENB3K0E-M242						10.0					133.7

Conical Bottom-Shaped Tank

CONA-E



TIS 1379-2551




Tank							Lid				Approx. Total Weight (kg)
Part Number	Capacity (Litre)	Approx. Dimension (mm)					Part Number	Approx. Dimension (mm)			
		B	C	H	h	Thk.		K	O	Thk.	
CONA100E-M6x6	100	440	500	590	565	4.0	CN0435B-M1X8	590	50	3.0	5.50
CONA100E-M117						4.5					6.00
CONA100E-M8X6						5.5					7.50
CONA100E-M0X6						7.0					9.50
CONA200E-M9X2	200	595	650	680	660	4.0	CN0590B-M2X5	590	50	3.0	9.50
CONA200E-M9X5						4.5					9.80
CONA200E-M122						5.5					12.50
CONA200E-M124						7.0					14.40
CONA500E-M129	500	780	870	920	875	5.0	CN0760B-M2X9	760	75	2.5	19.30
CONA500E-M132						6.0					22.50
CONA500E-M138						8.0					29.10
CONA500E-M145						10.0					35.30
CONA1K0E-M130	1,000	960	1,030	1,415	1,370	6.0	CN0940B-M4X8	940	95	3.0	32.60
CONA1K0E-M145						7.0					37.20
CONA1K0E-M149						8.0					41.70
CONA1K0E-M159						10.0					51.20
CONA1K5E-M154	1,500	1,230	1,300	1,300	1,260	6.0	CN1220B-M6X9	1,220	90	3.5	48.50
CONA1K5E-M161						7.0					55.40
CONA1K5E-M168						8.0					62.30
CONA1K5E-M189						10.0					76.00
CONA2K0E-M164	2,000	1,220	1300	1,700	1,660	6.0	CN1220B-M6X9	1,220	90	3.5	58.60
CONA2K0E-M172						7.0					67.10
CONA2K0E-M181						8.0					75.70
CONA2K0E-M198						10.0					92.70
CONA2K5E-M160	2,500	1,200	1,300	1,940	1,900	6.0	CN1220B-M6X9	1,220	90	3.5	64.70
CONA2K5E-M170						7.0					74.30
CONA2K5E-M189						8.0					83.70
CONA2K5E-M109						10.0					103.50
CONA3K0E-M184	3,000	1,200	1,300	2,440	2,400	6.0	CN1220B-M6X9	1,220	90	3.5	73.70
CONA3K0E-M196						7.0					85.70
CONA3K0E-M205						8.0					96.70
CONA3K0E-M231						10.0					120.70
CONA4K0E-M224	4,000	1,500	1,600	2,210	2,160	8.0	CN1520E-M122	1,520	310	4.5	126.00
CONA4K0E-M248						10.0					148.00
CONA4K0E-M263						11.0					163.00
CONA4K0E-M288						13.0					188.00
CONA4K0E-M396						15.0					216.00
CONA6K0E-M279	6,000	1,750	1,850	2,400	2,460	9.0	CN1750E-M126	1,750	345	4.5	175.00
CONA6K0E-M206						11.0					210.00
CONA6K0E-M349						13.0					245.00
CONA6K0E-M377						15.0					281.00
CONA10KE-M301	10,000	2,000	2,100	3,240	3,320	11.0	-	-	-	-	290.00
CONA10KE-M453						13.0					342.00
CONA10KE-M406						15.0					395.00
CONA10KE-M557						17.0					446.00
CONA10KE-M583						18.0					472.00

Pharmaceutical Tank

REN-C



TIS 1379-2551




Tank								Lid				Approx. Total Weight (kg)
Part Number	Capacity (Litre)	Approx. Dimension (mm)						Part Number	Approx. Dimension (mm)			
		A	B	a	H	h	Thk.		K	O	Thk.	
REN300C-M124	300	680	150	680	760	690	4.0	CT0150B-HX29	150	40	2.0	13.18
REN300C-M127							5.0					16.18
REN300C-M120							6.0					19.18
REN300C-M133							7.0					22.18
REN1K0C-M155	1,000	1,750	395	930	1,180	1,100	6.5	CT0395A-M1X8	395	90	3.0	44.70
REN1K0C-M162							7.5					51.70
REN1K0C-M172							9.0					61.70
REN1K0C-M185							11.0					74.70

COT-D




TIS 1379-2551






Tank								Lid					Approx. Total Weight (kg)
Part Number	Capacity (Litre)	Approx. Dimension (mm)						Part Number	Approx. Dimension (mm)				
		A	B	a	H	h	Thk.		K	O	Q	Thk.	
COT300D-M118	300	820	760	640	830	805	3.0	CN0820C-M113	820	160	30	3.0	9.00
COT550D-M128	550	1,000	950	800	1,020	985	5.0	CN1000C-M114	1,000	235	40	3.0	20.00
COT1K0D-M137	1,000	1,210	1,130	930	1,240	1,205	5.5	CN1210C-M115	1,210	240	40	3.0	30.00
COT1K6D-M147	1,600	1,370	1,300	1,070	1,495	1,460	5.5	CN1370C-M117	1,370	240	40	3.5	42.00
COT2K0D-M157	2,000	1,480	1,410	1,170	1,610	1,575	6.0	CN1480C-M118	1,480	370	45	3.5	53.00
COT2K5D-M162	2,500	1,570	1,510	1,240	1,700	1,695	6.0	CN1570C-M110	1,570	370	45	3.5	60.00

Pharmaceutical Tank

COT-E

COT-F



Tank								Lid				Approx.
Part Number	Capacity (Litre)	Approx. Dimension (mm)						Part Number	Approx. Dimension (mm)			Total Weight (kg)
		A	B	C	H	h	Thk.		K	O	Thk.	
COT200E-M122	200	760	700	560	730	705	4.0	CN0760A-M2X5	760	50	2.5	-
COT500E-M134	200	760	700	560	730	705	4.5	CN1100A-M4X6	1100	40	3.0	-
COT200A-M121	200	760	700	560	730	705	6.0	CN0760A-M2X5	760	50	2.5	-
COT200A-M125	200	760	700	560	730	705	8.0	CN1100A-M4X6	1100	40	3.0	-

CET-A

CET-B

CET-D


Tank								Lid				Approx. Total Weight (kg)
Part Number	Capacity (Litre)	Approx. Dimension (mm)						Part Number	Approx. Dimension (mm)			
		A	B	C	H	h	Thk.		K	O	Thk.	
CET200B-M125	200	-	-	560	1,010	710	5.0	CT0150B-HX29	150	40	2.0	14.18
CET500A-M145	500	-	-	900	1,220	740	5.0	CT0395A-M1X8	395	90	3.0	34.70
CET500B-M145	500	-	-	900	1,175	740	5.0	CT0395A-M1X8	395	90	3.0	34.70
CET500B-M140		-	-				6.0					39.70
CET500B-M158		-	-				7.5					47.70
CET500D-M162	500	-	-	900	1,255	740	6.0	CT0395A-M1X8	395	90	3.0	51.00
CET500D-M160		-	-				7.5					59.00

COT-A


TIS 1379-2551




Tank								Lid				Approx.
Part Number	Capacity (Litre)	Approx. Dimension (mm)						Part Number	Approx. Dimension (mm)			Total Weight (kg)
		A	B	C	H	h	Thk.		K	O	Thk.	
COT040A-M113	40	520	420	330	360	335	3.5	-	-	-	-	2.00
COT040A-M3X3							4.0					2.20
COT150A-M6X6	150	700	650	570	610	580	4.0	-	-	-	-	5.50
COT150A-M7X6							4.5					6.50
COT150A-M9X6							6.0					8.50
COT150A-M122							7.5					11.00
COT200A-M118	200	760	700	560	730	705	4.0	CN0760A-M2X5	760	50	2.5	8.40
COT200A-M8X6							4.5					8.90
COT200A-M121							6.0					11.40
COT200A-M125							8.0					15.40
COT280A-M119	280	1,080	1,010	900	430	390	4.0	-	-	-	-	8.00
COT280A-M110							4.5					9.00
COT280A-M123							6.0					12.00
COT280A-M127							8.0					16.00
COT350A-M121	350	870	310	750	790	755	4.0	CN0870A-M3X4	870	45	3.0	12.30
COT350A-M122							4.5					13.30
COT350A-M125							6.0					16.30
COT350A-M120							8.0					21.30
COT500A-M128	500	1,100	1,020	900	780	740	5.5	CN1100A-M4X6	1,100	40	3.0	20.50
COT500A-M129							6.0					21.50
COT500A-M136							8.0					28.50
COT500A-M142							10.0					34.50
COT900A-M136	900	1,340	1,280	1,010	860	820	6.0	-	-	-	-	25.00
COT900A-M141							7.0					30.00
COT900A-M145							8.0					34.00
COT900A-M153							10.0					42.00
COT1K0A-M139	1,000	1,420	1,360	1,250	830	780	6.0	-	-	-	-	28.00
COT1K0A-M144							7.0					33.00
COT1K0A-M149							8.0					38.00
COT1K0A-M158							10.0					47.00
COT1K5A-M149	1,500	1,630	1,550	1,460	950	910	6.0	-	-	-	-	38.00
COT1K5A-M155							7.0					44.00
COT1K5A-M161							8.0					50.00
COT1K5A-M174							10.0					63.00

CEN20KEA, CEN25KEA

CEN25KE

CEN35KE

CEN50KE

CEN20KEA

Tank							Lid		Approx.
Part Number	Capacity (Liters)	Approx. Dimensions (mm.)					Part Number	Thk.	Total Weight (kg)
		B	C	H	h	Thk.			
CEN20KEA-M811	20,000	500	2,500	5,070	4,550	20.0	CT0500A-M2X9	3.0	970

CEN25KEA

Tank							Lid		Approx.
Part Number	Capacity (Liters)	Approx. Dimensions (mm.)					Part Number	Thk.	Total Weight (kg)
		B	C	H	h	Thk.			
CEN25KEA-M2231	25,000	500	2,500	5,930	5,450	20.0	CT0500A-M2X9	3.0	1,120

CEN25KE

Tank							Lid		Approx. Total Weight (kg)
Part Number	Capacity (Liters)	Approx. Dimensions (mm.)					Part Number	Thk.	
		B	C	H	h	Thk.			
CEN25KE-M791	25,000	500	3,500	3,270	2,880	14.0	CT0500A-M2X9	3.0	681.8
CEN25KE-M891						16.0			781.8
CEN25KE-M981						18.0			871.8
CEN25KE-M081						20.0			971.8

CEN35KE

Tank							Lid		Approx. Total Weight (kg)
Part Number	Capacity (Liters)	Approx. Dimensions (mm.)					Part Number	Thk.	
		B	C	H	h	Thk.			
CEN35KE-M3K3	35,000	500	3,500	4,115	3,750	20.0	CT0500A-M2X9	3.0	1,360.50

CEN50KE


Tank							Lid		Approx. Total Weight (kg)
Part Number	Capacity (Liters)	Approx. Dimensions (mm.)					Part Number	Thk.	
		B	C	H	h	Thk.			
CEN50KE-M4K5	*50,000	500	3,500	6,065	5,700	20.0	CT0500A-M2X9	3.0	1,943.60

Intermediate Bulk Containers (IBC's)




TIS 1379-2551

BTC




BTR

SR01




SR02



Part Number	Capacity (Litres)	App. Dimensions (mm)			PE Tank	PVC Ball Valve 1-1/2"	Frame
		A	a	H			
BTC1K0A-SR01	1,000	1,080	1,080	1,760	✓	✓	✓
BTC1K5A-SR01	1,500	1,350	1,350	2,060	✓	✓	✓
BTC2K0A-SR01	2,000	1,350	1,350	2,460	✓	✓	✓
BTC2K5A-SR01	2,500	1,350	1,350	2,680	✓	✓	✓
BTR1K0D-SR01	1,000	1,000	1,000	1,720	✓	✓	✓
BTR1K0D-SR02	1,090	1,310	1,000	1,165	✓	✓	✓

ROT150B


150 Liters



Tank		Lid		Approx. Total Weight (kg)
Part Number	Thk.	Part Number	Thk.	
ROT150B-M122	6.0	RN0690A-M2X6	3.0	12.5
ROT150B-M124	7.0	RN0690A-M2X6	3.0	14.5
ROT150B-M126	8.0	RN0690A-M2X6	3.0	16.5
ROT150B-M128	9.0	RN0690A-M2X6	3.0	18.5

ROT260A

260 Liters




Tank		Lid		Approx. Total Weight (kg)
Part Number	Thk.	Part Number	Thk.	
ROT260B-M126	6.0	RN1020A-M4X5	3.5	18.4
ROT260B-M129	7.0	RN1020A-M4X5	3.5	21.4
ROT260B-M132	8.0	RN1020A-M4X5	3.5	24.4
ROT260B-M134	9.0	RN1020A-M4X5	3.5	26.4

Tray Aerator TM6070A-TA02N



TM4014A-ZA01N



Part Number	Capacity (Litres)	Flow Capacity m ³ /h	No. of Tray	Filter Media pc/set	App. Dimensions (mm.)	
					A	H
TM4014A-ZA01N	14	1	4	100	485	730
TM6070A-TA02N	70	10	6	900	815	2,180

PE Biofiltration Media

120.00 THB /set
minimum order : 500 sets



20 pcs. PE plate



stand

- Used for filtration application in pressured sand filter, carbon filter, softener tanks, etc. These nozzles are installed on strainer plate design and header lateral system for distribution and collection purpose.

4.00 THB /pc.
minimum order : 5,000 pcs.



- Lightweight construction
- Serves as the attachment basis for microorganisms
The spacing serves as the passage of water to provide enough room for bacterial growth
- Widely used in sanitary sewage and industrial water processing